## 40 CFR Ch. I (7-1-11 Edition)

## §§ 63.832-63.839

determination in §63.827(b) and alternatives to the test method for volatile matter in §63.827(c), and major alternatives to other test methods under §63.7(e)(2)(ii) and (f), as defined in §63.90, and as required in this subpart.

(3) Approval of major alternatives to monitoring under §63.8(f), as defined in §63.90, and as required in this subpart.

(4) Approval of major alternatives to recordkeeping and reporting under §63.10(f), as defined in §63.90, and as required in this subpart.

[68 FR 37354, June 23, 2003]

§§ 63.832-63.839 [Reserved]

Table 1 to Subpart KK of Part 63—Applicability of General Provisions to Subpart KK

General provisions reference	Applicable to subpart KK	Comment
§ 63.1(a)(1)–(a)(4)	Yes.	
§ 63.1(a)(5)	No	Section reserved.
§ 63.1(a)(6)–(a)(8)	No.	
§ 63.1(a)(9)	No	Section reserved.
§ 63.1(a)(10)–(a)(14)	Yes.	
§ 63.1(b)(1)	No	Subpart KK specifies applicability.
§ 63.1(b)(2)–(b)(3)	Yes.	
§ 63.1(c)(1)	Yes.	
§ 63.1(c)(2)	No	Area sources are not subject to subpart KK.
§ 63.1(c)(3)	No	Section reserved.
§ 63.1(c)(4)	Yes.	
§ 63.1(c)(5)	No.	
§ 63.1(d)	No	Section reserved.
§ 63.1(e)	Yes.	5500011155511540
§ 63.2	Yes	Additional definitions in subpart KK.
§ 63.3(a)–(c)	Yes.	Additional dominions in suspent rate
§ 63.4(a)(1)–(a)(3)	Yes.	
§ 63.4(a)(4)	No	Section reserved.
§ 63.4(a)(5)	Yes.	Occilon reserved.
§ 63.4(b)–(c)	Yes.	
§ 63.5(a)(1)–(a)(2)	Yes.	
	Yes.	
§ 63.5(b)(1) § 63.5(b)(2)	No	Section reserved.
	Yes.	Section reserved.
§ 63.5(b)(3)–(b)(6)		O-ation and and
§ 63.5(c)	No	Section reserved.
§ 63.5(d)	Yes.	
§ 63.5(e)	Yes.	
§ 63.5(f)	Yes.	
§ 63.6(a)	Yes.	
§ 63.6(b)(1)–(b)(5)	Yes.	O-ation manual
§ 63.6(b)(6)	No	Section reserved.
§ 63.6(b)(7)	Yes.	
§ 63.6(c)(1)–(c)(2)	Yes.	
§ 63.6(c)(3)–(c)(4)	No	Sections reserved.
§ 63.6(c)(5)	Yes.	
§ 63.6(d)	No	Section reserved.
§ 63.6(e)(1)(i)	No	See 63.823(b) for general duty requirement. Any cross-ref-
		erence to 63.6(e)(1)(i) in any other general provision incor-
		porated by reference shall be treated as a cross-reference
		to 63.823(b).
§ 63.6(e)(1)(ii)	No.	
§ 63.6(e)(1)(iii)	Yes.	
§ 63.6(e)(2)	No	Section reserved.
§ 63.6(e)(3)	No.	
§ 63.6(f)(1)	No.	
§ 63.6(f)(2)–(f)(3)	Yes.	
§ 63.6(g)	Yes.	
§ 63.6(h)	No	Subpart KK does not require COMS.
§ 63.6(i)(1)–(i)(14)	Yes.	·
§ 63.6(i)(15) `	No	Section reserved.
§ 63.6(i)(16)	Yes.	
§ 63.6(j)	Yes.	
§ 63.7(a)–(d)	Yes.	
§ 63.7(e)(1)	No	See 63.827 introductory text. Any cross-reference to
3·· \-/\·/		63.7(e)(1) in any other general provision incorporated by reference shall be treated as a cross-reference to 63.827 introductory text.

## **Environmental Protection Agency**

## Pt. 63, Subpt. KK, Table 1

General provisions reference	Applicable to subpart KK	Comment
§ 63.7(e)(2)–(e)(4)	Yes.	
§ 63.8(a)(1)–(a)(2)	Yes.	
§ 63.8(a)(3)	No	Section reserved.
§ 63.8(a)(4)	No	Subpart KK specifies the use of solvent recovery devices of
		oxidizers.
63.8(b)	Yes.	
§ 63.8(c)(1)–(3)	Yes.	
§ 63.8(c)(4)	No	Subpart KK specifies CMS sampling requirements.
63.8(c)(5)	No	Subpart KK does not require COMS.
63.8(c)(6)–(c)(8)	Yes	Provisions for COMS are not applicable.
63.8(d)(1)-(2)	Yes.	
63.8(d)(3)	Yes, except for last sentence.	
63.8(e)-(f)	Yes.	
63.8(g)	No	Subpart KK specifies CMS data reduction requirements.
63.9(a)	Yes.	
63.9(b)(1)	Yes.	
63.9(b)(2)	Yes	Initial notification submission date extended.
	Yes.	Illida Hotilication Submission date extended.
63.9(b)(3)–(b)(5)	Yes.	
63.9(c)–(e)		Outros de IVIV. de la constitución de la constituci
63.9(f)	No	Subpart KK does not require opacity and visible emission observations.
63.9(g)	Yes	Provisions for COMS are not applicable.
63.9(h)(1)–(h)(3)	Yes.	
63.9(h)(4)	No	Section reserved.
63.9(h)(5)-(h)(6)	Yes.	
63.9(i)	Yes.	
63.9(j)	Yes.	
63.10(a)	Yes.	
63.10(b)(1)	Yes.	
63.10(b)(2)(i)	No.	
63.10(b)(2)(ii)	No	See 63.829(g) for recordkeeping of occurrence and duration
		taken during malfunction. Any cross-reference t 63.10(b)(2)(ii) in any other general provision incorporate by reference shall be treated as a cross-reference t 63.829(g).
63.10(b)(2)(iii)	Yes.	
63.10(b)(2)(iv)–(b)(2)(v)	No.	
63.10(b)(2)(vi)–(b)(2)(xiv)	Vaa	
00.10(b)(L)(vi) (b)(L)(Xiv)	Yes.	
	Yes.	
63.10(b)(3)		
63.10(b)(3) 63.10(c)(1)	Yes.	Sections reserved.
63.10(c)(1)	Yes. Yes.	Sections reserved.
63.10(b)(3)	Yes. Yes. No	Sections reserved. Section reserved.
663.10(b)(3)	Yes. Yes. No Yes.	Section reserved. See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(10) in any other general provision inco
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco-
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference
63.10(b)(3)	Yes. Yes. No Yes. No No No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(10) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-reference to 63.10(c)(11) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)—(c)(4) 63.10(c)(5)—(c)(8) 63.10(c)(9) 63.10(c)(11) 63.10(c)(11) 63.10(c)(12)—(c)(14) 63.10(c)(15) 63.10(d)(1)—(d)(2) 63.10(d)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(10) in any other general provision incc porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(11) in any other general provision incc porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission
63.10(b)(3)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(10) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(11) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)—(c)(4) 63.10(c)(5)—(c)(8) 63.10(c)(9) 63.10(c)(10) 63.10(c)(11) 63.10(c)(11) 63.10(c)(15) 63.10(c)(15) 63.10(c)(15) 63.10(d)(1)—(d)(2) 63.10(d)(3) 63.10(d)(4) 63.10(d)(4) 63.10(d)(5)	Yes. Yes. No No No No No No Yes.	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re erence to 63.10(c)(10) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-reference to 63.10(c)(11) in any other general provision inco porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)—(c)(4) 63.10(c)(5)—(c)(8) 63.10(c)(9) 63.10(c)(10) 63.10(c)(11) 63.10(c)(11) 63.10(c)(12)—(c)(14) 63.10(c)(15) 63.10(c)(15) 63.10(d)(1)—(d)(2) 63.10(d)(3) 63.10(d)(4) 63.10(d)(5) 63.10(d)(5) 63.10(d)(6) 63.10(d)(6)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.  Provisions for COMS are not applicable.  Subpart KK specifies the use of solvent recovery devices of
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)-(c)(4) 63.10(c)(5)-(c)(8) 63.10(c)(9) 63.10(c)(10) 63.10(c)(11) 63.10(c)(11) 63.10(c)(15) 63.10(c)(15) 63.10(d)(1)-(d)(2) 63.10(d)(3) 63.10(d)(4) 63.10(d)(5) 63.10(d)(6) 63.10(e) 63.10(e) 63.10(f) 63.10(f)	Yes. Yes. No No No No No  Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-reference to 63.10(c)(10) in any other general provision incorporated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-reference to 63.10(c)(11) in any other general provision incorporated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.  Provisions for COMS are not applicable.
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)—(c)(4) 63.10(c)(5)—(c)(8) 63.10(c)(9) 63.10(c)(10) 63.10(c)(11) 63.10(c)(11) 63.10(c)(12)—(c)(14) 63.10(c)(15) 63.10(d)(1)—(d)(2) 63.10(d)(4) 63.10(d)(4) 63.10(d)(5) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d) 63.10(d)(6) 63.10(d) 63.10(d) 63.10(d) 63.10(d) 63.10(d) 63.10(d) 63.10(d)	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.  Provisions for COMS are not applicable.  Subpart KK specifies the use of solvent recovery devices of
63.10(b)(3) 63.10(c)(1) 63.10(c)(2)—(c)(4) 63.10(c)(5)—(c)(8) 63.10(c)(9) 63.10(c)(10) 63.10(c)(11) 63.10(c)(11) 63.10(c)(12)—(c)(14) 63.10(c)(15) 63.10(c)(15) 63.10(d)(1)—(d)(2) 63.10(d)(3) 63.10(d)(4) 63.10(d)(5) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d)(6) 63.10(d) 63.10(d)(6) 63.10(d) 63.11	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.  Provisions for COMS are not applicable.  Subpart KK specifies the use of solvent recovery devices of
\$63.10(b)(3) \$63.10(b)(3) \$63.10(c)(2) - (c)(4) \$63.10(c)(5) - (c)(8) \$63.10(c)(9) \$63.10(c)(10) \$63.10(c)(11) \$63.10(c)(11) \$63.10(c)(12) - (c)(14) \$63.10(c)(15) \$63.10(d)(1) - (d)(2) \$63.10(d)(4) \$63.10(d)(4) \$63.10(d)(4) \$63.10(e) \$63.10(e) \$63.10(e) \$63.10(e) \$63.10(e) \$63.10(e) \$63.10(e) \$63.10(e) \$63.11 \$63.12 \$63.13 \$63.14	Yes. Yes. No	Section reserved.  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(10) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  See 63.830(b)(6)(v) for reporting malfunctions. Any cross-re- erence to 63.10(c)(11) in any other general provision inco- porated by reference shall be treated as a cross-reference to 63.830(b)(6)(v).  Subpart KK does not require opacity and visible emission observations.  Provisions for COMS are not applicable.  Subpart KK specifies the use of solvent recovery devices of

 $[61~{\rm FR}~27140,\,{\rm May}~30,\,1996,\,{\rm as}~{\rm amended}~{\rm at}~76~{\rm FR}~22598,\,{\rm Apr.}~21,\,2011]$